FROM THE DESK OF

J. RANDALL LYMAN
PRETREATMENT COORDINATOR
CITY OF SPRINGFIELD
1216 W. NICHOLS ST.
SPRINGFIELD, MISSOURI 65802
PHONE 417-864-1487
Fax 417-864-1918



Date: September 25, 2001 (11:27am)

e-mail randy lyman@ci.springfield.mo.us

To: Gene Pabst

Re: Dairy Farmers of America

I called Kristen Dixon at DFA regarding the silver nitrate disposal proposal. She indicated this waste is from a lab at another location besides the main plant. Apparently the main plant has their lab waste handled by Safety-Kleen. I asked that they explore recycling/reclamation opportunities and if that is not feasible we'll have them complete a special waste application for disposal to the sanitary sewer. Please file this with DFA. Let me know if you have any questions.

CC:Marc Thornsberry, P.E., Dir. of Public Works/Bob Schaefer P.E., Asst. Director of Public Works, Ed Malter, P.E., Supt. Of Sanitary Services/ Gary Nelms, Asst. City Attorney/Tom Holst, SWTP Supv./ Charles Parrott, NWTP Supv./Inspectors/ fileC:\MyFiles\1000fromdeskjrl.wpd

3233 E. Chestaut

Dairy Farmers of America Technology Center 3233 E. Chestnut Expwy. Springfield, MO 65802 Phone 800-243-2479 Fax 417-829-3701

FAX COVER SHEET

DATE: Fept. 24,2001
TO: Kandy Lyman
FROM: Wayne Bough & Krigten Fixon

This FAX message has 9 pages including this coversheet. If you have any questions, or if all pages are not received, call the person who sent you the FAX message. Our phone number is 800-243-2479, our FAX number is 417-829-3701.

COMMENTS: RAD generates 1/50 m/lot in 10 mf batches
of 8:/N AgNOZ. Can this be foushed down the
dvain with water?

Please reply to Kristen at 829-3724 and
Copy Bough at boosenv@ men. Com.

DAIRY FARMERS of AMERICA



Material Safety Data Sheet

24 Hour Emergency Telephone: 909-051-2151 CHENTREC: :-800-424-9300

National Response in Canada CANUTEC: 013-906-6663

Outside U.S. and Canada Chanities: 703-527-2687

From: Mallinckrodt Baker, Inc. | V | Mallinckrodt 222 Red School Lane Philipphurg. NJ 08865





MOTE CHEMINES, CANCTED and Material Response Comer emergency numbers to be used only in the every of chambal emergences sinvolving a spill, busk less expensive or account בונבי הנחם בחורים בחור

All non-emergency questions should be directed to Customer Service (1 600 S32-2507) for assistance.

SILVER NITRATE, VOLUMETRIC SOLUTIONS (0.24 -4.8%)

MSDS Number: S2285 --- Effective Date: 08/15/98

1. Product Identification

Synonyms: Lunar caustic solution; silver nitrate volumetric solutions 0.0141 Normal, 0.0171 Normal, 0.0282 Normal, 0.0855 Normal, 0.1 Normal, 0.171 Normal, and 0.282

Normal

CAS No.: 7761-88-8

Molecular Weight: 169.87

Chemical Formula: AgNO3 (in water)

Product Codes: J.T. Baker: 5630

Mallinckrodt: 6142, H383, H386, H387, H391, H393, H394

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Silver Nitrate	7761-88-8	0.2 - 5%	Yes
Water	7732-18-5	95 - 100%	No

3. Hazards Identification

Emergency Overview

WARNING! CAUSES SEVERE EYE IRRITATION. HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN AND RESPIRATORY TRACT. AFFECTS EYES, SKIN AND RESPIRATORY TRACT.

J.T. Baker SAF-T-DATA(tm) Ratings (Provided here for your convenience)

Health Rating: 2 - Moderate Flammability Rating: 0 - None Reactivity Rating: 0 - None Contact Rating: 2 - Moderate

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Orange (General Storage)

Potential Health Effects

Inhalation:

Effects are expected to be less severe than for exposure to higher concentrations where symptoms include severe irritation to the respiratory tract with coughing, wheezing, shortness of breath, nausea, and vomiting. May be absorbed into the body following inhalation with symptoms paralleling those from ingestion exposure.

Ingestion:

Effects should be less severe than through exposure to higher concentrations of silver nitrate which may include symptoms of pain and burning in mouth, blackening of the skin and mucous membranes, throat and abdomen, diarrhea and shock. A poison in higher concentrations.

Skin Contact:

Effects are expected to be less severe than for exposure to higher concentrations where symptoms include redness, pain and severe burns.

Eye Contact:

Causes severe eye irritation, redness and pain. Contact may cause eye damage.

Chronic Exposure:

Prolonged or repeated inhalation, application or ingestion of silver compounds may cause a permanent bluish discoloration of the skin, eyes, and mucous membranes.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the substance. Persons with heavy metals accumulation should cease contact with silver compounds.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire Fighting Measures

Fire:

Not combustible, but concentrated material is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Explosion:

Silver nitrate reactions may cause explosions.

Fire Extinguishing Media:

Use water only on small fires; do not use dry chemical or carbon dioxide. For large fires, flood the area with water.

Special Information:

Concentrated solutions are oxidizing materials and can increase the flammability of adjacent combustible materials. In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Contain and recover liquid when possible. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

7. Handling and Storage

Keep in a tightly closed container. Protect from physical damage. Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities. Protect from light. Protect from freezing. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

OSHA Permissible Exposure Limit (PEL):

0.01 mg/m3 (TWA), silver, metal & soluble compounds, as Ag

ACGIH Threshold Limit Value:

0.01 mg/m3 (TWA), soluble silver compounds, as Ag

0.1 mg/m3 (TWA), silver metal

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded, a half-face high efficiency dust/mist respirator may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece high efficiency dust/mist respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygendeficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance:

Clear, colorless solution.

Odor:

Odorless.

Solubility:

Miscible in water.

Density:

ca. 1.0

pH:

No information found.

% Volatiles by volume @ 21C (70F):

ca. 98

Boiling Point:

No information found.

Melting Point:

No information found.

Vapor Density (Air=1):

No information found.

Vapor Pressure (mm Hg):

No information found.

Evaporation Rate (BuAc=1):

No information found.

10. Stability and Reactivity

Stability:

Stable at room temperature in sealed containers. Light sensitive.

Hazardous Decomposition Products:

Oxides of nitrogen and toxic metal fumes may form when heated to decomposition.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Reducing agents, ammonia, alkalis, antimony salts, arsenites, bromides, carbonates, chlorides, iodides, thiocyanates, ferrous salts, phosphates, tannic acid and tartrates. Concentrated material is a strong oxidizing agent and can cause a fire when contacted with combustible materials.

Conditions to Avoid:

Light, heat, incompatibles.

11. Toxicological Information

Silver nitrate: Oral rat LD50: 1173 mg/kg; Irritation, rabbit, eye, Std Draize: 1 mg, severe. Investigated as a tumorigen, mutagen, reproductive effector.

	NTP	Carcinogen		
Ingredient	Known	Anticipated	IARC Category	

Silver Nitrate (7761-88-8)	No	No	None	
Water (7732-18-5)	No	No	None	

12. Ecological Information

Environmental Fate:

No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Not regulated.

15. Regulatory Information

Ingredient		TO CON	200	Tanan	Australia
Silver Nitrate (7761-88-8) Water (7732-18-5)		Yes	Yes	Yes	Yes Yes
\Chemical Inventory Status - Par Ingredient		Korea	DSL	nada NDSL	Phil.
Silver Nitrate (7761-88-8) Water (7732-18-5)		Yes	Yes	No	Yes Yes
Ingredient	-SARI RQ	A 302- TPQ	Li	SAR st Che	Maical Catg.
Silver Nitrate (7761-88-8) Water (7732-18-5)	No	No No	No	Sli	ver cmpd/
\Federal, State & International			-KCRA	1	ISCA-
Ingredient				3 8	3 (d)
Silver Nitrate (7761-88-8) Water (7732-18-5)	1 No		No No		10 10
hewical Weapons Convention: No TSCA	12(b):	No	CDTA	: No	

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No SARA 311/312: Acute: Yes Chronic: Yes Fire: No Pressure: No Reactivity: No (Mixture / Liquid)

Australian Hazchem Code: 2X

Poison Schedule: No information found.

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 2 Flammability: 0 Reactivity: 0

Label Hazard Warning:

WARNING! CAUSES SEVERE EYE IRRITATION. HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN AND RESPIRATORY TRACT. AFFECTS EYES, SKIN AND RESPIRATORY TRACT.

Label Precautions:

Avoid contact with eyes, skin and clothing.

Avoid breathing vapor or mist.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to firesh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In all cases, get medical attention.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 1, 2, 3, 5, 8, 15, 16.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY,

MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Strategic Services Division Phone Number: (314) 539-1600 (U.S.A.)